

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62,61

LIST No. 7

*Spring 1941*

Long Island Grown

# LINING OUT PLANTS

Exceptionally well rooted which  
means strong, vigorous plants.



**TIGER NURSERIES, Inc.**

**MONTAUK HIGHWAY**

**BROOKHAVEN**

**L. I., N. Y.**

---

If you are interested in real bargains in  
Landscape material, please write for our Special  
Bargain Surplus list, No. 6.

---

# KEY

CG — Cutting Grown  
T — Transplant  
FG — Field Grown  
Gr. — Grafts  
S — Seedling

RC — Rooted Cuttings from Sand Ready May 15th.

Acer palmatum atropurpureum	2½" pots Gr.	\$.20
Ajuga	single plants	.03
"	2¼" pots	.05
Aralia	1 yr. 6-8" CG	.03
Arctostaphylos uva-ursi	2¼" pots	.15
Azalea altaclarensis	2 yr. TT 2-6"	.20
— amoena	TT 6-8"	.10
— hinodegiri	1 yr. 2¼" pots CG	.06
— J. C. VanTol	TTT 9-12"	.30
— mollis	TT 4-6"	.12
— mucronulata	TT 6-8"	.12
— Oosthoeck's Brilliant Red	2 yr. TT	.20
— poukhanensis	4 yr. 10-12" TT	.75
Berberis julianae	RC	.06
" "	3 yr. 12-15" T CG	.40
— thunbergi	6-9" S	.01
— — atropurpurea	6-9" S	.03
— — "	9-12" S	.04
— — "	1 yr. 8-10" Gr.	.15
— verruculosa	RC	.06
— — "	1 yr. TS	.15
Buxus sempervirens suffruticosa	3 yr. 4-6" T bushy	.09
" " "	3 yr. 6-8" T bushy	.15
Chamaecyparis lawsoniana	4-6" T	.08
— — alumi	4-6" T	.08
— obtusa	RC	.04
— — "	1 yr. 4-6" T	.10
— — crippsi	RC	.06
— — "	1 yr. 4-6" T	.14
— — lutea nova	4-6" T	.08
— — nana	1 yr. 2-4" T	.15
— — youngi	1 yr. 6-8" T	.14
— pisifera	RC	.04
— — "	2 yr. 8-10" T	.12
— — aurea	RC	.04
— — "	2 yr. 6-8" T	.12
— — "	2 yr. 8-10" T	.15
— — filifera	4-6" T	.08
— — — aurea	RC	.04
— — — "	4-6" 1 yr. T	.12

# Chamaecyparis pisifera (Cont.)

— — plumosa.....	RC .....	\$.04
— — " .....	1 yr. 4-6" T ....	.12
— — " .....	1 yr. 6-8" T ....	.15
— — " .....	2 yr. 6-8" T ....	.18
— — " .....	2 yr. 8-10" T ....	.25
— — — aurea.....	RC .....	.04
— — — " .....	2 yr. 8-10" T ....	.20
— — — lutescens.....	RC .....	.04
— — — " .....	4-6" 2 yr. T ....	.10
— — — " .....	6-8" 2 yr. T ....	.15
— — squarrosa.....	4-6" 1 yr. T .....	.10
— — — veitchi.....	RC .....	.04
Cornus florida rubra.....	2¼" pots Gr ....	.20
" " (white).....	18-24" TT .....	.20
Daphne cneorum.....	2 yr. 9-12" TT	
	strong .....	.25
Deutzia crenata.....	1 yr. 18-24" CG ..	.03
— Pride of Rochester .....	1 yr. 18-24" CG ..	.03
Euonymus alatus.....	1 yr. T 3-4" CG ..	.05
— patens .....	10-12" TT .....	.10
— " .....	12-15" TT .....	.12
— radicans .....	T 3 yr. FG .....	.15
Enkianthus campanulatus.....	1 yr. 4-6" T CG ..	.06
Forsythia intermedia.....	T .....	.05
— — spectabilis .....	T .....	.05
— suspensa fortunei.....	1 yr. 18-24" T	
	CG .....	.06
Gordonia alatamaha.....	RC .....	.15
" " .....	T .....	.20
Hedera helix.....	2¼" pots CG....	.05
" " .....	2 yr. 6-9" 2¼"	
	pots CG .....	.08
" " .....	2 yr. 6-9" 4"	
	pots CG .....	.15
Ilex crenata .....	RC .....	.05
" " .....	2 yr. 4-6" T CG ..	.12
" " .....	3 yr. 6-9" T CG	
	bushy .....	.18
" " .....	3 yr. 9-12" T	
	CG bushy .....	.25
— — convexa (Bullata).....	RC .....	.06
— — " " .....	4-6" T .....	.10
— — " " .....	2 yr. 6-8" T CG	
	strong .....	.12
— — " " .....	3 yr. 6-9" T CG	
	bushy .....	.15
— — " " .....	3 yr. 9-12" T	
	CG bushy .....	.20
— opaca.....	2¼" pots .....	.05
— " .....	2 yr. 4-8" 2¼"	
	pots .....	.10



# Ilex opaca (Cont.)

—	"	.....	4 & 5 yr. 18-24"	
			TT S B&B	.....\$.50
Juniperus chinensis	pfitzeriana	RC	.....	.08
"	"	"	1 yr. 4-6" T CG	.12
"	"	"	6-8" T	.15
"	"	"	8-10" TT	.25
—	sargenti	.....	RC	.08
—	"	.....	2 yr. 4-6" T CG	.12
—	"	.....	6-8" TT	.25
—	communis hibernica	.....	RC	.04
—	"	"	4-6" T	.08
—	"	"	1 yr. 6-8" T CG	.10
—	"	"	1 yr. 8-10" T CG	.12
—	excelsa stricta	.....	RC	.08
—	"	"	4-6" T	.10
—	"	"	1 yr. 6-8" T CG	.12
Ligustrum ovalifolium	aureum	1 yr. T CG	.....	.05
"	"	"	2 yr. 8-12" TT	.... .09
Lonicera halliana	.....	1 yr. 2¼" pots		
		CG	.....	.05
—	morrowi	.....	1 yr. 8-12" T	.... .05
—	tatarica alba	.....	8-12" 2 yr. T CG	.05
—	" rosea	.....	2 yr. 12-18" T	.... .05
Malus:				
arnoldiana, eleyii, floribunda,				
flor. atrosanguinea, flor. pur-				
purea, halliana parkmani, hoppi,				
kaido, neidzwetzkyana, sargenti,				
scheideckeri, sieboldi, specta-				
bilis, spect. riversi rosea plena				
		Gr	.....	.15
		1 yr. T 8-12"	....	.20
		2 yr. T 2-3'	....	.25
Pachysandra terminalis	.....	2¼" pots CG	....	.05
Philadelphus Mont Blanc	.....	1 yr. 12-18" CG		.03
Picea canadensis	.....	1 yr. T S	.....	.02
— excelsa	.....	1 yr. T S	.....	.02
—	"	.....	4-6" T	.08
Pieris japonica	.....	RC	.....	.08
"	"	.....	4-6" pots	.12
"	"	.....	1 yr. 6-8" T	.20
"	"	.....	8-10" TT	.25
Pinus montana mughus	.....	2 yr. T 2-4"	....	.06
"	"	"	.....	.08
— strobis	.....	2 yr. 4-6" T	....	.06
—	"	.....	2 yr. 6-8" TT	.10
— thunbergi	.....	2 yr. 2-4" T	....	.06
—	"	.....	2 yr. 4-6" TT	.10
Prunus:				
fujizan, hata zakura, ko fugen,				
naden, ojochin, shiro fugen				
		Gr 2½" pots	....	.20

Rhododendron carolinianum.....	4 yr. 6-8" T .....	\$.12
— " " .....	4 yr. 8-15" T ....	.15
— catawbiense.....	4 yr. 6-8" T ....	.12
— " .....	4 yr. 8-15" T ....	.15
— maximum.....	4 yr. 6-8" T .....	.12
— " .....	4 yr. 8-15" T ....	.15
— hybrids .....	Gr pots .....	.50
red varieties		

Spiraea bumalda Anthony Waterer	8-12" T .....	.06
— froebeli.....	8-12" T .....	.06
— billardi .....	1 yr. 18-24" CG	.03
Symphoricarpus vulgaris .....	1 yr. 18-24" CG	.03
Syringa Hybrid Lilacs.....	grafts .....	.15

Alphonse Lavalley, Belle de Nancy, Berryer, Capitaine Baltet, Charles Joly, Charles X, Edith Cavell, Hugo Koster, Jan Van Tol, Jean Mace, Katherine Havemeyer, Lamartine, Leon Gambetta, Marie Legraye, Michel Buchner, Miss E. Wilmott, Mme. C. Perier, Mme. F. Stepman, Mme. Lemoine, Mont Blanc, Pres. Fallieres, Pres. Grevy, Rubra de Marley, Ruhm Von Horstenstein, Souv. de L. Spaeth, Vestale, Waldeck Rousseau

Syringa Hybrid Lilacs.....	grafts .....	.25
----------------------------	--------------	-----

Adelaide Dunbar, Diderot, Gen. Pershing, Mme. Abel Chatenay, Mme. F. Morel, Monge, Montaigne, Paul Thirion, Vauban, V. Lemoine, Ville de Troyes, ten Hove

Taxus baccata adpressa .....	RC .....	.05
— " " " .....	1 yr. 6-8" T CG	.08
— Montauk.....	RC .....	.15
— " .....	2 yr. 6-9" T ....	.35
— — elegantissima .....	RC .....	.06
— " .....	1 yr. 4-6" T .....	.15
— " .....	1 yr. 6-8" T .....	.17
— — repandens .....	RC .....	.06
— " .....	1 yr. 4-6" T ....	.09
— — washingtoni.....	1 yr. 4-6" T .....	.10
— chestnutensis.....	1 yr. 3-4" T CG	.20
— " .....	1 yr. 6-9" T CG	.30
— cuspidata .....	RC .....	.04
— " .....	1 yr. 4-6" T ....	.10
— " .....	1 yr. 6-8" T ....	.11
— " .....	2 yr. 8-10" TT	.20

# *Taxus cuspidata* (Cont.)

— — capitata.....	RC .....	\$.04
— — " .....	2 yr. 4-6" T .....	.10
— — " .....	3 yr. 6-8" T .....	.20
— — intermedia.....	RC .....	.04
— — " .....	2 yr. 4-6" T .....	.12
— — " .....	2 yr. 6-8" T .....	.15
— — " .....	3 yr. 8-10" T ....	.25
— — nana .....	RC .....	.04
— — " .....	2 yr. 4-6" T .....	.10
— — " .....	3 yr. 6-8" T .....	.15
— — " .....	3 yr. 8-10" TT .....	.25
— — vermeulen .....	RC .....	.08
— — " .....	1 yr. 4-6" T .....	.10
— — " .....	1 yr. 6-8" T .....	.12
— — " .....	3 yr. 8-12" T ....	.20
— erecta overeinderi .....	1 yr. 4-8" T .....	.25
— media hicksi .....	RC .....	.04
— " " .....	1 yr. 6-8" T .....	.10
— " " .....	2 yr. 8-12" T ....	.12
— — kelseyii .....	RC .....	.08
— — " .....	1 yr. 4-6" T .....	.15
— — " .....	2 yr. 6-8" T .....	.20
— tigerii.....	RC .....	.15
Thuja occidentalis.....	3 yr. 9-12" T ....	.12
" " .....	3 yr. 15-18" T .....	.20
— — elegantissima .....	RC .....	.05
— — " .....	1 yr. 4-6" T .....	.10
— — " .....	6-8" T .....	.15
— — globosa .....	RC .....	.04
— — " .....	1 yr. 4-6" T .....	.08
— — " .....	1 yr. 6-8" TT....	.12
— — lutea.....	4-6" T .....	.10
— — plicata (Douglasi) .....	4-6" T .....	.08
— — " " .....	1 yr. 6-8" T .....	.12
— — pyramidalis.....	RC .....	.06
— — " .....	4-6" T .....	.10
— — " .....	6-8" T .....	.12
— — " .....	1 yr. 8-10" T....	.15
— — rosenthali.....	RC .....	.05
— — " .....	4-6" T .....	.10
— — " .....	1 yr. 6-8" T .....	.12
— — vervaeneana .....	RC .....	.04
— — " .....	4-6" T .....	.08
— — " .....	6-8" T 1 yr.....	.09
— — wareana .....	RC .....	.04
— — " .....	4-6" T .....	.10
— — woodwardi.....	RC .....	.04
— — " .....	1 yr. 4-6" T .....	.08
— — " .....	1 yr. 6-8" T .....	.12
— orientalis .....	1 yr. 6-8" T .....	.05
— — beverleyensis .....	Gr 2¼" pots.....	.15



## Thuja orientalis (Cont.)

— — compacta .....	6-9" T .....	\$.06
— — " .....	9-12" T .....	.10
— — nana aurea .....	GR .....	.15
— — " " .....	2 yr. T 6-8" Gr .....	.25
— — " " .....	3 yr. T 8-10" Gr .....	.35
Tsuga canadensis .....	4-6" S .....	.02
" " .....	4-6" T .....	.06
" " .....	6-8" T 3 yr. ....	.08
Vinca minor .....	2 yr. 2¼" pots .....	.05
— variegata .....	2 yr. 4-8" 2¼" pots CG .....	.05
Weigelia amabilis, floribunda, rosea .....	8-12" T .....	.06
Wisteria frutescens .....	2-3' 2 yr. T .....	.10
— naga noda .....	3 yr. 18-24" layers T .....	.40
— " " .....	2 yr. 18-24" T Gr .....	.60
— natsu fugi .....	2 yr. 18-24" T Gr .....	.60
— noda murasaki .....	2 yr. 18-24" T Gr .....	.60
— tsuru .....	2 yr. 18-24" T Gr .....	.60

## TERMS AND CONDITIONS OF SALE

### ORDERS

State size desired and give shipping instructions. Unless otherwise instructed we will ship when the plants are ready, or weather conditions allow. Lining out stock is shipped bare root, packed in peat or moss.

Shipments will go by Long Island Railroad or motor express.

A discount of 5% will be allowed on orders of 500 of a size and variety and 10% on orders of 1,000.

Packing at cost. No charge for packing if cash accompanies order.

### GUARANTEE

Our stock is guaranteed true to name, in healthy condition and to be the size listed. No other guarantee given.

### TERMS

Cash except to customers of established credit. C. O. D. orders should be accompanied by remittance of one-third of amount of order.



## USE and SELL HYPONEX

Use it for seedlings (helps to prevent damping off) feeding cuttings (keeps them healthy) transplanting (reduces shock) and for general feeding. Sell it for the satisfaction it will give your customers and the profit it will bring you.

We recommend Hyponex because we have found that we can gain a year in the growing of evergreens or deciduous liners with the use of Hyponex.

3-oz. Can ----- 25c

1-lb. Can ----- \$1.00

Sold also in bulk

Send \$1.00 for 1-lb. sample, dollar credited on first order for 10 lbs. or case of 36 cans (3 oz.) or 12 cans (1 lb.).

## FERTIL-SPRAY

Fertil-Spray: a simple, scientific device for using the water power in any line to spray soluble fertilizer for the feeding of plants over large areas. \$1.25.

Dealers' prices 33 1/3% off list.

WRITE FOR DETAILS



## SUN PLUS

## RAIN PLUS

## HYPONEX EQUALS

## PERFECT PLANTS

## ROOT CUTTINGS WITH HORMODIN POWDER

Reg. U. S. Pat. Off.

This Hormone Powder produces better roots—faster! Simply dip moistened stems in Hormodin Powder and place in usual propagating medium. For house, garden, and greenhouse plants use Hormodin Powder No. 1; also available as Powder No. 2 for woody types, and Powder No. 3 for evergreens.